



I-70 East Final Environmental Impact Statement and Section 4(f) Evaluation



JANUARY 2016
Attachment A—Alternative Maps



ATTACHMENT A-ALTERNATIVE MAPS

lo-Action Alternative pa	age 3
No-Action Alternative, North Optionpa	age 5
No-Action Alternative, South Option	age 9
Build Alternativespa	age 13
I-25 to Brighton Boulevardpa	age 15
General-Purpose Lanes Option	age 17
Managed Lanes Optionpa	age 21
Brighton Boulevard to Colorado Boulevardpa	age 25
Revised Viaduct Alternative, North Option, General-Purpose Lanes Optionpa	age 27
Revised Viaduct Alternative, North Option, Managed Lanes Option	age 33
Revised Viaduct Alternative, South Option, General-Purpose Lanes Optionpa	age 39
Revised Viaduct Alternative, South Option, Managed Lanes Optionpa	age 45
Partial Cover Lowered Alternative, General-Purpose Lanes Optionpa	age 51
Partial Cover Lowered Alternative, Managed Lanes Optionpa	age 57
Colorado Boulevard to Tower Roadpa	age 63
General-Purpose Lanes Option	age 65
Managed Lanes Optionpa	age 75
)rainage pa	age 85
hase 1 Projectpa	aae 89


No-Action Alternative

Because of the deteriorating condition of the existing I-70 viaduct between Brighton Boulevard and Colorado Boulevard, the No-Action Alternative includes replacement of the viaduct. A North or South Expansion Option is required for this alternative to allow the highway to remain operational during construction of the new viaduct.

No-Action Alternative,	North Option .		 page
No-Action Alternative,	South Option.		 page

No-Action Alternative

No-Action Alternative • North Option



No-Action Alternative, North Option

- Replaces the viaduct between Brighton Boulevard and Colorado Boulevard
- Does not add through-lanes to the existing I-70 highway (does not add capacity)
- Expands the highway to the north for standard lane and shoulder widths
- Includes all the planned and programmed roadway and transit improvements in the project area




The maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction.
The information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.



ne maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction.

No-Action Alternative

No-Action Alternative • South Option



No-Action Alternative, South Option

- Replaces the viaduct between Brighton Boulevard and Colorado Boulevard
- Does not add through-lanes to the existing I-70 highway (does not add capacity)
- Expands the highway to the south for standard lane and shoulder widths
- Includes all the planned and programmed roadway and transit improvements in the project area





he maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and constructio for internation presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.

Build Alternatives

I-25 to Brighton Boulevard	page 15
General-Purpose Lanes Option	page 17
Managed Lanes Option	page 21
Brighton Boulevard to Colorado Boulevard	page 25
Revised Viaduct Alternative, North Option, General-Purpose Lanes Option	page 27
Revised Viaduct Alternative, North Option, Managed Lanes Option	page 33
Revised Viaduct Alternative, South Option, General-Purpose Lanes Option	page 39
Revised Viaduct Alternative, South Option, Managed Lanes Option	page 45
Partial Cover Lowered Alternative, General-Purpose Lanes Option	page 51
Partial Cover Lowered Alternative, Managed Lanes Option	page 57
Colorado Boulevard to Tower Road	page 63
General-Purpose Lanes Option	page 65
Managed Lanes Option	page 75


Build Alternatives

I-25 to Brighton Boulevard

I-70 was reconstructed and widened from I-25 to Brighton Boulevard in the recent past, so no reconstruction of this section is required. The work within this section is restriping only to transition the existing roadway to improved conditions.


Build Alternatives • I-25 to Brighton Boulevard

General-Purpose Lanes Option



General-Purpose Lanes Option

- Adds through-lanes to the existing I-70 highway by restriping
- No reconstruction or widening of the existing highway is planned




The maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction. The information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.



Build Alternatives • I-25 to Brighton Boulevard

Managed Lanes Option



Managed Lanes Option

- By restriping, adds managed through-lanes to eastbound I-70 highway
- By restriping, ends managed through-lanes on westbound I-70 highway prior to I-25
- Employs an operational strategy to manage the traffic for the added capacity in the corridor
- No reconstruction or widening of the existing highway is planned



The maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction.
The information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.



Build Alternatives


Brighton Boulevard to Colorado Boulevard

Expansion to the north or south is required due to the highway widening and to allow the existing viaduct to remain operational during construction.

The existing York Street interchange is removed with all of the Build Alternatives.

Build Alternatives • Brighton Boulevard to Colorado Boulevard


Revised Viaduct Alternative • North Option • General-Purpose Lanes Option



Revised Viaduct Alternative, North Option, General-Purpose Lanes Option

- Adds two through-lanes to the existing I-70 highway in each direction
- Replaces the viaduct between Brighton Boulevard and Colorado Boulevard
- Expands the highway to the north between Brighton Boulevard and Colorado Boulevard
- Reconstructs 46th Avenue under the south side of the viaduct
- Reconstructs the existing Colorado Boulevard and Steele Street/Vasquez Boulevard interchanges as a single split diamond interchange






The maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction The information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.



The maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction. The information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.


Build Alternatives • Brighton Boulevard to Colorado Boulevard


Revised Viaduct Alternative • North Option • Managed Lanes Option




Revised Viaduct Alternative, North Option, Managed Lanes Option

- Adds two through-lanes to the existing I-70 highway in each direction
- Employs an operational strategy to manage the traffic for the added capacity in the corridor
- Replaces the viaduct between Brighton Boulevard and Colorado Boulevard
- Expands the highway to the north between Brighton Boulevard and Colorado Boulevard
- Reconstructs 46th Avenue under the south side of the viaduct
- Reconstructs the existing Colorado Boulevard and Steele Street/Vasquez Boulevard interchanges as a single split diamond interchange






The maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction The information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.



ne maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction be information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.

Build Alternatives • Brighton Boulevard to Colorado Boulevard

Revised Viaduct Alternative • South Option • General-Purpose Lanes Option




Revised Viaduct Alternative, South Option, General-Purpose Lanes Option


- Adds two through-lanes to the existing I-70 highway in each direction
- Replaces the viaduct between Brighton Boulevard and Colorado Boulevard
- Expands the highway to the south between Brighton Boulevard and Colorado Boulevard
- Reconstructs 46th Avenue under the south side of the viaduct
- Reconstructs the existing Colorado Boulevard and Steele Street/Vasquez Boulevard interchanges as a single split diamond interchange



ne maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction in the information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.




The maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction. The information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.



he maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction he information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.

Build Alternatives • Brighton Boulevard to Colorado Boulevard

Revised Viaduct Alternative • South Option • Managed Lanes Option




Revised Viaduct Alternative, South Option, Managed Lanes Option

- Adds two through-lanes to the existing I-70 highway in each direction
- Employs an operational strategy to manage the traffic for the added capacity in the corridor
- Replaces the viaduct between Brighton Boulevard and Colorado Boulevard
- Expands the highway to the south between Brighton Boulevard and Colorado Boulevard
- Reconstructs 46th Avenue under the south side of the viaduct
- Reconstructs the existing Colorado Boulevard and Steele Street/Vasquez Boulevard interchanges as a single split diamond interchange






The maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction The information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.



he maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction he information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.

Build Alternatives • Brighton Boulevard to Colorado Boulevard


Partial Cover Lowered Alternative • General-Purpose Lanes Option



Partial Cover Lowered Alternative, General-Purpose Lanes Option

- Adds two through-lanes to the existing I-70 highway in each direction
- Removes the viaduct between Brighton Boulevard and Colorado Boulevard and reconstructs I-70 below the existing grade
- Expands the highway to the north between Brighton Boulevard and Colorado Boulevard
- Adds a cover to the below-ground-level portion of the highway between Columbine Street and Clayton Street
- Reconstructs 46th Avenue on the north and south side of I-70 adjacent to the highway
- Reconstructs the existing Colorado Boulevard and Steele Street/Vasquez Boulevard interchanges as a single split diamond interchange









Build Alternatives • Brighton Boulevard to Colorado Boulevard


Partial Cover Lowered Alternative • Managed Lanes Option




Partial Cover Lowered Alternative, Managed Lanes Option

- Adds two through-lanes to the existing I-70 highway in each direction
- Employs an operational strategy to manage the traffic for the added capacity in the corridor
- Removes the viaduct between Brighton Boulevard and Colorado Boulevard and reconstructs I-70 below the existing grade
- Expands the highway to the north between Brighton Boulevard and Colorado Boulevard
- Adds a cover to the below-ground-level portion of the highway between Columbine Street and Clayton Street
- Reconstructs 46th Avenue on the north and south side of I-70 adjacent to the highway
- Reconstructs the existing Colorado Boulevard and Steele Street/Vasquez Boulevard interchanges as a single split diamond interchange








Build Alternatives

Colorado Boulevard to Tower Road

I-70 is reconstructed and widened generally along the existing centerline of the highway.


Build Alternatives • Colorado Boulevard to Tower Road

General-Purpose Lanes Option



General-Purpose Lanes Option

- Adds two through-lanes to the existing I-70 highway in each direction
- Provides Holly Street access to and from I-70; the existing Dahlia Street and Monaco Street slip ramp connections are located closer to Holly Street to reduce vehicle conflicts




he maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction he information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.





The maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction.

The information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.




The maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction. The information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.



The maps provided in this attachment are graphical representations of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction The information presented in this attachment is intended for illustration purposes only, and is not suitable for site specific decision making or impact determinations.










Build Alternatives • Colorado Boulevard to Tower Road

Managed Lanes Option




Managed Lanes Option

- Adds two through-lanes to the existing I-70 highway in each direction
- Employs an operational strategy to manage the traffic for the added capacity in the corridor
- Provides access at Holly Street to and from I-70; the existing Dahlia Street and Monaco Street slip ramp connections are located closer to Holly Street to reduce vehicle conflicts
- Provides direct connections to the managed lanes at I-270, I-225, and Peña Boulevard







tions of the alternatives evaluated in the Final EIS. They show the alternatives at a point in time that is preliminary in design, and details are subject to change through final design and construction. ustration purposes only, and is not suitable for site specific decision making or impact determinations.













Drainage

All the alternatives include drainage improvements on the north side of I-70 to capture and convey the onsite water runoff. The Partial Cover Lowered Alternative also includes an offsite drainage system south of I-70 to capture surface water before it enters the lowered section of the highway.

This page intentionally left blank.





Offsite drainage for the Partial Cover Lowered Alternative south of I-70

Drainage system along the south side of I-70, south of the coliseum and through Globeville Landing Park discharging the offsite flows to the South Platte River

Onsite drainage system north of I-70

Drainage system for the No-Action Alternative and the Build Alternatives discharging into the South Platte River north of I-70 near Riverside Cemetery

Legend

Drainage

Construction limits



exhibit is for informational purposes only and it may contain preliminary conclusions that may not necessarily be reflected in the final decision

This page intentionally left blank.

Phase 1 Project

There is insufficient funding available to construct all the improvements for the Preferred Alternative (Partial Cover Lowered Alternative, Managed Lanes Option); therefore, a Phase 1 Project has been identified that will include adding one tolled express lane in each direction between Brighton Boulevard and Chambers Road.

This page intentionally left blank.

Phase 1 Project • Brighton Boulevard to Chambers Road



Phase 1 incorporates portions of the identified Preferred Alternative, the Partial Cover Lowered Alternative with Managed Lanes Option

- Restriping from I-25 to Brighton Boulevard
- Complete reconstruction from Brighton Boulevard to I-270 with pavement width for the addition of two lanes in each direction
- Only one lane will be open for use until traffic demand is met to open the second lane
- Widening from I-270 to Chambers Road to accommodate one additional lane in each direction



